



Standard Guide for Ecological Considerations for the Use of Oilspill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies¹

This standard is issued under the fixed designation F 1210; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide covers the use of oilspill dispersants to assist in the control of oil spills. The guide is written with the goal of minimizing the environmental impacts of oil spills; this goal is the basis on which the recommendations are made. Aesthetic and socio-economic factors are not considered, although these and other factors are often important in spill response.

1.2 Spill responders have available several means to control or clean up spilled oil. In this guide, the use of dispersants is given equal consideration with other spill countermeasures. It is not considered as a “last resort” after all other methods have failed.

1.3 This is a general guide only. It assumes the oil to be dispersible and the dispersant to be effective, available, applied correctly, and in compliance with relevant government regulations. In the assessment of environmental sensitivity, it is assumed that the dispersant is nonpersistent in the natural environment. Oil, as used in this guide, includes crude oils and refined petroleum products. Differences between individual dispersants or between different oil products are not considered.

1.4 The guide is organized by habitat type, for example, small ponds and lakes, rivers and streams, and land. It considers the use of dispersants primarily to protect habitats from impact (or to minimize impacts) and to clean them after a spill takes place.

1.5 This guide applies only to freshwater and other inland environments. It does not consider the direct application of dispersants to subsurface waters.

1.6 In making dispersant use decisions, appropriate government authorities should be consulted as required by law.

1.7 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

¹ This guide is under the jurisdiction of ASTM Committee F-20 on Hazardous Substances and Oil Spill Response and is the direct responsibility of Subcommittee F20.13 on Treatment.

Current edition approved Feb. 24, 1989. Published April 1989.

2. Significance and Use

2.1 This guide is meant to aid local and regional response teams who may use it during spill response planning and spill events.

2.2 This guide should be adapted to site specific circumstance.

3. Environment Covered—Lakes and Large Water Bodies

3.1 Lakes and large water bodies are major fresh water features that are a significant part of major water systems. They have a dynamic near shore ecology, and a wide mixture of animal and plants species. In northern regions, these water bodies may be partly or completely ice covered during part of the year but will not freeze to the bottom. Commercially important fishing and recreational activities are frequently associated with these water bodies.

3.2 While most of these bodies are naturally occurring and exist during the most year, some may be man-made.

3.3 The characteristics of these water bodies are:

- a) Open water area greater than 10 hectares,
- b) Water depths in excess of 1.5 m,
- c) Soft or hard bottom with a low organic content except in shallow water areas,
- d) Acidic water in some areas especially near industrial regions,
- e) A well defined inlet or outlet, or both, and
- f) A well defined shoreline of varied characteristics such as sand beaches and rocky headlands similar to marine environments. Some parts of the shore may be similar to those in ponds and sloughs.

4. Background

4.1 The effects of oil and dispersed oil on these aquatic environments have been the subject of numerous studies. The studies have involved both intentional experimental spills and studies undertaken during actual spill situations **(1-3)**.²

4.2 There have been a number of studies on the impact of oil and oil/dispersant mixtures on microbiological systems **(4-10)**.

4.3 The principal biotic components of such water bodies

² The boldface numbers in parentheses refer to the list of references at the end of this guide.

are a variety of fauna and flora. The aquatic flora include bacteria, algae, (planktonic and attached), and floating or submerged vascular plants. Terrestrial flora include grasses, moss, lichens, herbs, forbs, and woody plants. In deep water areas, there is little vegetation except for bacteria and algae.

4.4 The fauna include invertebrates, (zooplankton, molluscs, crustaceans, worms, and other similar species), fish, a variety of waterfowl, (ducks, loons, gulls, terns, and herons), mammals, such as beaver and muskrat, and in many areas, significant human activity. The distribution and composition of species is a function of climate, local geography and soil type, and human use of the area.

4.5 Human activities range from recreation and tourism, to shipping and commercial fishing. In many cases, lakes and other large water bodies are the source of potable water for human consumption or industrial use.

5. General Considerations for Making Dispersant Use Decisions

5.1 The dispersant use decision is, in this case as most others, one of trade-offs. The use of dispersants can reduce the adverse effects of spilled oil on certain biological species at the expense of other components of the ecosystem.

5.2 In most cases the mortality of individual creatures is of less concern than the destruction of habitat. The repopulation of areas after the spill will occur naturally when an area becomes a suitable habitat for a given species.

6. Recommendations

6.1 Dispersant use in lakes and other large water bodies and their bordering vegetation should be considered if a spill poses

a significant threat to indigenous wildlife or its habitat. In evaluating the potential for dispersant use, consideration should be given to the alternatives of leaving the oil untreated or the use of mechanical recovery equipment. In many cases, a spill response operation can cause serious damage to a lake or large water body habitat, or a disruption of nesting and breeding activities.

6.2 Since large waves can be generated in these water bodies, the need to supply additional energy for the dispersant process is not an issue. In many cases, the water is shallow enough that the dispersed oil will reach the bottom and will have the potential to cause impact on the benthic community.

6.3 The use of dispersants near water intakes is not recommended because there is a possibility of inducing increased contamination. Dispersant application should be far enough away from the intake so that dilution can occur before the water is used for potable or industrial applications.

6.4 Should waterfowl, either migrating or resident be present, the use of dispersants is recommended to reduce the impact on this resource.

6.5 In some areas, the protection of fish, their eggs, larvae, and juveniles, is a concern. Fish larvae and eggs have been found to be particularly susceptible to oil. In this case, the mechanical removal may be preferred if it can be completed before the oil contacts the eggs or larvae.

7. Keywords

7.1 dispersants; environmental sensitivity; freshwater; inland; lakes; oil spill; oilspill dispersants

REFERENCES

- (1) Fremling, C. R., "Impacts of a Spill of No. 6 Fuel Oil on Lake Winona," *Proceedings of 1981 Oil Spill Conference*, Atlanta, GA, 1981, pp. 419-421.
- (2) Snow, N. B., and Brunskill, G. J., "Crude Oil and Nutrient Enrichment Studies in a MacKenzie Delta Lake," *Technical Report No. 553 Canadian Department Environment Fisheries and Marine Service*, Winnipeg, Man., 1975, pp. 7.
- (3) Snow, N. B., and Rosenberg, D. M., "Experimental Oil Spills on MacKenzie Delta Lakes; I. Effect of Normal Wells Crude Oil on Lake 4," *Technical Report No. 548 Department Environment Fisheries and Marine Service*, Winnipeg, Man., 1975, p. 44.
- (4) Berner, N. H., Ahearn, D. G., and Cook, W. L., "Effects of Hydrocarbonoclastic Yeasts on Pollutant Oil and the Environment," *Impact on the Use of Microorganisms on the Aquatic Environment*, EPA-660/3-75-001, U.S. Environmental Protection Agency, Corvallis, OR., 1975.
- (5) Buhner, H., "Influence of Hydrocarbons on Ecology of Bacteria in Aerobic Lake Sediment," *Schweiz Zeitschrift zu Hydrologie*, Vol 41, No. 2, 1979, pp. 315-355.
- (6) Caparello, D. M., and LaRock, P. A., "A Radioisotope Assay for the Quantification of Hydrocarbon Biodegradation Potential in Environmental Samples," *Microbiology and Ecology*, Vol 2, No. 1, 1975, pp. 28-42.
- (7) Horowitz, A., and Atlas, R. M., "Response of Microorganisms to an Accidental Gasoline Spillage in an Arctic Freshwater Ecosystem," *Applied Environmental Microbiology*, Vol 33, No. 6, 1977, pp. 1252-1258.
- (8) Horowitz, A., Sexstone, A., and Atlas, R. M., "Hydrocarbons and Microbial Activities in Sediment of an Arctic Lake One Year after Contamination with Leaded Gasoline," *Arctic*, Vol 31, No. 3, 1978, pp. 180-191.
- (9) Jordan, M. J., Hobbie, J. E., and Peterson, B. J., "Effects of Petroleum Hydrocarbons on Microbial Populations in an Arctic Lake," *Arctic*, Vol 31, No. 3, 1978, pp. 170-179.
- (10) McKinley, V. L., Federle, T. W., and Vestal, J. R., "Effects of Petroleum Hydrocarbons on Plant Litter Microbiota in an Arctic Lake," *Applied Environmental Microbiology*, Vol 43, No. 1, 1982, pp. 129-135.

 **F 1210**

The American Society for Testing and Materials takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, 100 Barr Harbor Drive, West Conshohocken, PA 19428.

This standard is copyrighted by ASTM, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (<http://www.astm.org>).