



## Standard Guide for Training the Emergency Medical Technician (Basic) to Perform Patient Examination Techniques<sup>1</sup>

This standard is issued under the fixed designation F 1285; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

### 1. Scope

1.1 This guide covers the minimum patient examination techniques that the emergency medical technician (basic) shall be trained to use when assessing ill or injured patients of all ages.

1.2 This guide is one of a series which together describe the minimum training standard for the emergency medical technician (basic).

1.3 *This standard does not purport to address the safety concerns associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

### 2. Referenced Documents

#### 2.1 ASTM Standards:

F 1031 Practice for Training the Emergency Medical Technician (Basic)<sup>2</sup>

### 3. Terminology

#### 3.1 Definitions of Terms Specific to This Standard:

3.1.1 *auscultation*—examination by listening with a stethoscope.

3.1.2 *inspection*—examination by careful visualization of the body or a part of the body.

3.1.3 *palpation*—examination by touching with the hand.

### 4. Significance and Use

4.1 This guide establishes the minimum national standard for training the emergency medical technician (basic) to perform patient examination techniques on patients of all ages.

4.2 This guide shall be used by those who wish to identify the minimum training standard for the emergency medical technician (basic) as it relates to the performance of patient examination techniques.

4.3 This guide shall be used as the basis to revise Practice F 1031.

4.4 Every person who is identified as an emergency medical technician (basic) shall have been trained in accordance with this guide.

4.5 This guide does not stand alone and must be used in conjunction with the applicable documents cited in Section 2.

### 5. Examination Techniques

5.1 The emergency medical technician (basic) shall be trained to perform the following examination techniques and to recognize the differences that exist because of age and sex:

5.1.1 Assess respirations for rate, rhythm, and quality,

5.1.2 Auscultate for breath sounds,

5.1.3 Assess rate and regularity of the following pulses: carotid, brachial, radial, femoral, and pedal,

5.1.4 Palpate blood pressure,

5.1.5 Auscultate blood pressure,

5.1.6 Assess mental status and level of consciousness,

5.1.7 Inspect the body,

5.1.8 Palpate the body,

5.1.9 Assess sensory perception,

5.1.10 Assess motor function, and

5.1.11 Assess airway patency.

<sup>1</sup> This guide is under the jurisdiction of ASTM Committee F30 on Emergency Medical Services and is the direct responsibility of Subcommittee F30.02 on Personnel, Training and Education.

Current edition approved Sept. 10, 2003. Published October 2003. Originally approved in 1990. Last previous edition approved in 1998 as F 1285 – 90 (1998).

<sup>2</sup> *Annual Book of ASTM Standards*, Vol 13.02.

*ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.*

*This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.*

*This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or [service@astm.org](mailto:service@astm.org) (e-mail); or through the ASTM website ([www.astm.org](http://www.astm.org)).*